

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/796,480	03/08/2004	Daniel Lee Avery	US03 0080	2306

7590 03/03/2006
Philips Electronics North America Corporation
Intellectual Property & Standards
1000 W. Maude Ave.
Sunnyvale, CA 94085

EXAMINER

TU, CHRISTINE TRINH LE

ART UNIT	PAPER NUMBER
2138	

DATE MAILED: 03/03/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/796,480	Applicant(s) AVERY ET AL.	
	Examiner Christine T. Tu	Art Unit 2138	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
 - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
 - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 3/8/2004.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-29 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-29 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 08 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

2. Claims 1, 2, 4, and 8 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 12 and 13 of the copending Application No.10/796,484. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application '484 substantially teaches the claimed invention. The copending application '484 does not explicitly teach the test signal sense circuit. The copending application '484, however, teaches the microcontroller is programmed to detect a test signal at one of the JTAG test nodes on JTAG signal paths (claim 13; at lines 2-3 of claim 12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to realize the microcontroller of the copending application '484 would be comprises a test

Art Unit: 2138

signal sense circuit. One having ordinary skill in the art would be motivated to realize so because the copending application '484 teaches that the microcontroller could detect a test signal of the test nodes on the signal paths (claim 13; at lines 1-3 of claim 12).

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

3. Claims 14, 15, 16 and 17 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims (12 & 13), 14, 15, and 17 of the copending Application No.10/796,484, respectively. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application '484 substantially teaches the claimed invention. The copending application '484 does not explicitly teach the test signal sense circuit. The copending application '484, however, teaches the microcontroller is programmed to detect a test signal at one of the JTAG test nodes on JTAG signal paths (claim 13; at lines 2-3 of claim 12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to realize the microcontroller of the copending application '484 would be comprises a test signal sense circuit. One having ordinary skill in the art would be motivated to realize so because the copending application '484 teaches that the microcontroller could detect a test signal of the test nodes on the signal paths (claim 13; at lines 1-3 of claim 12).

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Art Unit: 2138

4. Claims 23 and 26-27 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims (19 & 23) and 21-22 of the copending Application No.10/796,484, respectively. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application '484 substantially teaches the claimed invention. The copending application '484 does not explicitly teach the feature of monitoring the JTAG I/O test nodes to detect connectivity to another inter-connectable circuit. However, the copending application '484 teaches that a microcontroller configures the JTAG test signals routing switches to route JTAG test signals between the first and second inter-connectable circuit arrangements via the JTAG output and input test nodes (claim 23, lines 6-8). It would have been obvious to one skilled in the art at the time the invention was made to realize that the microcontroller of the copending application '484 would encompassed the feature of monitor the JTAG I/O test nodes to detect the connectivity to another inter-connectable circuit. One having ordinary skill in the art would be motivated to realize so because the microcontroller (of the copending application '484) routes the JTAG test signals between the first and the second inter-connectable circuit arrangement via the JTAG I/O test nodes (as being recited at lines 7-8 of claim 23).

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Art Unit: 2138

5. Claim 29 is provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims (12 & 13) of copending Application No. 10/796,484, respectively. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending application '484 teaches the claimed invention. The copending application '484 does not explicitly teach the test signal sense means. The copending application '484, however, teaches the microcontroller is programmed to detect a test signal at one of the JTAG test nodes on JTAG signal paths (claim 13; at lines 2-3 of claim 12). It would have been obvious to one having ordinary skill in the art at the time the invention was made to realize the microcontroller of the copending application '484 would be comprises a test signal sense means. One having ordinary skill in the art would be motivated to realize so because the copending application '484 teaches that the microcontroller could detect a test signal of the test nodes on the signal paths (claim 13; at lines 1-3 of claim 12).

6. This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 112

7. Claims 1-29 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 1-7, 9, 11-14, 17-18, 21-23, 26 and 29:

The use of the phrase(s) “adapted to”, “adaptively” and “adapted for” (throughout the claims) should be avoided because such a phrase does not provide positive limitation but only has the ability to perform so. In other words, it is not clear whether or not any functional limitation is actually being recited after each of the phrases “adapted to”, “adaptively” and “adapted for”.

Claim 9:

At lines 2-4, the phrase “a plurality of ... signal path switches adapted to route JTAG signals on the routing circuitry and between the routing circuitry and an external circuit” cannot be understood. Where exactly should the JTAG signals be routed? Where is the external circuit coming from? And how is the external circuit playing part of the circuit configurator arrangement.

Claims 8, 10, 15-16, 19-20, 24-25 and 27-28:

These claims are rejected because they depend on claims 1, 14 and 23 and contain the same problems of indefiniteness.

Claim Rejections - 35 USC § 103

8. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

9. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary.

Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

10. Claims 1-10, 13-14, 16-18, 22-26 and 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Garreau (6,425,101).

Claims 1, 4, 6, 8 and 29:

Garreau discloses the invention substantially as claimed. Garreau discloses (figures 2 & 4) a test network (200) including a master controller (202) connected to a programmable switch (204 or 408). The programmable switch (204) is connected to a slave target device (206) containing JTAG compliant integrated circuits (IC1 through IC4). The master controller (20) further comprises a JTAG controller (210) and a switch controller (218) for providing JTAG test protocols by using an I/O line (211-1) and data to the slave target device (206), and receiving the test results by using the feed

Art Unit: 2138

backward line (211-2) via the programmable switch (204 or 408) (figures 2 & 4, column 4 lines 41-column 5 line 36).

Garreau does not explicitly teach the controllable switches. Garreau, however, teaches (figure 4) that the programmable switch (400) comprises a plurality of vertical data lines (402) and programmably connected to horizontal data lines (404) forming a "crossbar" switch. Each of the horizontal data lines (404) is connected to one of the programmable switch I/O lines (410). Each of the programmable switch I/O switch I/O lines (410) are in turn connected in a pair-wise manner to the ICs (IC1 through IC4) located on the target hardware device (206) such teach each IC can be selectively tested (column 6 lines 49-column 7 lines 28).

It would have been obvious to one skilled in the art at the time the invention was made to realize that Garreau's combination of plurality of vertical data lines (402) and the plurality of the horizontal data lines (404) (in Garreau's programmable switch [208]) would have been the controllable switches. One having ordinary skill the in the art would be motivated to realize so because Garreau's combination of vertical data lines (420) and horizontal data lines (404) are used for selectively connecting a IC [in the target device (206)] to the master controller (202) (column 7 lines 12-28).

Claim 2:

Garreau also teaches (figure 7) a host computer (72) provides a user interface for sending corresponding configuration data to the master controller (704) then directs the programmable switch (706) to connect which of ICs (708 through 714) to be tested (figure 7, column 8 lines 57-column 9 line 5).

Claim 3:

Garreau does not explicitly teach a memory for storing the corresponding configuration data before sending such configuration data to the master controller (704). However, it would have been obvious to one skilled in the art at the time the invention was made to realize that Garreau's host computer (702) would have comprised a memory for storing such configuration data. One having ordinary skill in the art would be motivated to realize so because having a memory for storing (configuration) data inside a computer (or a host computer) is well-known in the art.

Claim 5:

Garreau does not explicitly teach a memory for storing control signals. Garreau, however, teaches that the JTAG controller (210) provides/sends JTAG test protocols used by JTAG test circuitry (figure 2, column 4 lines 60-65).

It would have been obvious to one skilled in the art at the time the invention was made to realize that Garreau's JTAG controller (210) would have comprised a memory for storing JTAG test protocols for sending them out to the test circuitry. One having ordinary skill in the art would be motivated to realize so because using a memory to store certain data before sending such data out would have been a matter of design choice and such a choice would not affect the result of the testing on a circuit.

Claim 7:

Garreau further teaches (figure 4) that the programmable switch (400) further comprises a connector (412-10) to connect a vertical data line (402-3) to the JTAG controller (210) by way of the I/O line (211-2) wherein the I/O line (211-2) feeds back the test results. The programmable switch (400) also comprises a connector (412-9) to connect the vertical data line (402)-4 to the JTAG controller (210) by way of the I/O line (211-2) (figure 4, column 8 lines 48-58; column 5 lines 10-36).

Claim 9:

Garreau further teaches (figure 4) that the programmable switch (400) further comprises a connector (412-10) to connect a vertical data line (402-3) to the JTAG controller (210) by way of the I/O line (211-2) wherein the I/O line (211-2) feeds back the test results. The programmable switch (400) also comprises a connector (412-9) to connect the vertical data line (402)-4 to the JTAG controller (210) by way of the I/O line (211-2). In this way the integrated circuits (IC3 and IC2) can be tested and are daisy-chained in the JTAG path in responsive to the appropriate switch control signal from the switch controller (218) (figure 4, column 8 lines 32-58; column 5 lines 10-36).

Claim 10:

Garreau also teaches (figure 7) a host computer (72) provides a user interface for sending corresponding configuration data to the master controller (704) then directs the programmable switch (706) to connect which of ICs (708 through 714) to be tested (figure 7, column 8 lines 57-column 9 line 5).

Art Unit: 2138

Claim 13:

Garreau further teaches that the JTAG controller (210) provides/sends JTAG test protocols including test vectors used by JTAG test circuitry via the I/O line (211-1) (figure 2, column 4 lines 60-65).

Claims 14 & 18:

Claims 14 and 18 are rejected for reasons similar to those set forth against claims (1 & 5) and (2 & 5).

Claim 16

Garreau further teaches (figure 4) that the programmable switch (400), which is controlled by the JTAG controller (210) and the switch controller (218), comprises a connector (412-10) to connect a vertical data line (402-3) to the JTAG controller (210) by way of the I/O line (211-2) wherein the I/O line (211-2) feeds back the test results. The programmable switch (400) also comprises a connector (412-9) to connect the vertical data line (402)-4 to the JTAG controller (210) by way of the I/O line (211-2). In this way the integrated circuits (IC3 and IC2) can be tested and are daisy-chained in the JTAG path in responsive to the appropriate switch control signal from the switch controller (218) (figure 4, column 8 lines 32-58; column 5 lines 10-36).

Art Unit: 2138

Claim 17:

Garreau's master controller (704) directs the programmable switch (706) to selectively couple an IC in responsive to the configuration data from the host computer (702) (figure 7, column 8 lines 62-62).

Claim 22:

Garreau does not explicitly teach an analog-to-digital converter (ADC) (in the configurator arrangement) for converting analog signal to digital signal. It would have been obvious to one skilled in the art at the time the invention was made to realize that Garreau's test network (200) would have been comprised of an A/D converter. One having ordinary skill in the art would be motivated to realize so because the use of an A/D converter for converting analog data into digital data is well-known in the art.

Claims 23 and 26:

These claims are similar to claims 1-3 except that the feature of mentoring the JTAG I/O test nodes to detect connectivity to another inter-connectable circuit is being recited.

It would have been obvious to one skilled in the art at the time the invention was made to realize that Garreau's JTAG controller (210) would encompassed the feature of monitor the JTAG I/O test nodes to detect the connectivity of the ICs. One having ordinary skill in the art would be motivated to realize so because Garreau's JTAG controller (210) is capable of testing only the integrated circuit IC1 after the switch

Art Unit: 2138

controller (218) directs the programmable switch (204) to connect an I/O line (211-1) to a feed forward line (220) and the feed backward line (222) to an I/o line (211-2) (figure 2, column 5 lines 26-36).

Claims 24-25:


Garreau's configuration data is provided to the master controller (704) which directs the programmable switch (706) to selectively couple the IC (708) to the master controller (704) (figure 7, column 8 line 57-column 9 line 5).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christine T. Tu whose telephone number is (571)272-3831. The examiner can normally be reached on Mon-Thur. 8:30am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert DeCady can be reached on (571)272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2138

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Christine T. Tu
Primary Examiner
Art Unit 2138

February 27, 2006

Notice of References Cited	Application/Control No. 10/796,480	Applicant(s)/Patent Under Reexamination AVERY ET AL.	
	Examiner Christine T. Tu	Art Unit 2138	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
*	A	US-6,425,101	07-2002	Garreau, Olivier	714/727
*	B	US-6,834,366	12-2004	Kim et al.	714/734
*	C	US-6,697,967	02-2004	Robertson, Andrew	714/43
*	D	US-6,587,979	07-2003	Kraus et al.	714/720
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS


*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.

Organization **INTEL** Bidg **INTEL**
U. S. DEPARTMENT OF COMMERCE
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
IF UNDELIVERABLE RETURN IN TEN DAYS

OFFICIAL BUSINESS

AN EQUAL OPPORTUNITY EMPLOYER



BEST AVAILABLE COPY

RECEIVED
APR 10 2006
USPTO MAIL CENTER